

Maryland Police Combat Association

NRA Police Pistol Combat Tournement Announcement



The Maryland Police Combat Association is conducting several NRA Sanctioned Approved Police Pistol Combat Tournaments in 2019.

These Tournaments are a great way for you to evaluate your skill level, identify needed training areas, improve your qualification scores, and practice your handgun skills to keep you prepared for the ever-increasing dangers you face on the street and off duty.

~ NEW SHOOTERS ~

You do NOT need any fancy gear or guns to start shooting these matches. Just bring your duty handgun, three magazines, holster & magazine pouch. There is nothing to memorize, the course will be announced as you shoot just like the stages during a qualification and fellow officers will gladly help you out. You can even use your stock duty gun to fire the Open Class Division Matches if you have four magazines. This will let you see what the other matches are like and how challenging and fun these matches are.

Matches Offered: The NRA Open Class Semi-Automatic Pistol, Open Class Revolver, Stock Service Semi-Automatic Pistol & Stock Service Revolver & the Production Semi-Automatic Pistol Matches.

Dates: Saturday April	l 20 th Saturda	ay May 25 th	Saturday June 15 th
	Saturday September 14 th	Saturday October	12 th
Tournament Officials:	Tournament Director & Tou Chief Range Officer - Chris		ge Bransom
	Statistical Officer - Ed Scho	oder	

Location: Monocacy Pistol Club Frederick, Maryland 21701

Click Here for Map & Directions

The Monocacy Pistol Club is located at 6432 Plant Road in Frederick, Maryland . The range is adjacent to the Frederick City Police Range and the Linganore Rifle Range off of Linganore Road approximately 3 miles east of Frederick.

FROM THE EAST: (Baltimore area) Take Rt. I-70 west to Rt. 144 (Exit 59). Go west on Rt. 144 (old Rt. 40) to Linganore Road. Then go North on Linganore Road approximately one mile to a paved road on the right marked "Plant Road". Make a right and go over the hill to the third range - metal gate on the left at the bottom of the hill.

FROM THE WEST: (Frederick area) Go east on Rt. I-70 to Rt. 144 (Exit 56). Go east on Rt. 144 to Linganore Road. Then go north on Linganore Road approximately one mile to a paved road on the right marked "Plant Road". Make a right and go over the hill to the third range - metal gate on the left at the bottom of the hill.

Point of Contact: Please contact Tournament Director George Bransom at 301.253.4344(H), 301.807.4448(C), or **bransom@verizon.net** for more information or to check on a specific Tournament date.

Governing Rules: Current NRA Police Pistol Combat Rules will govern throughout the Tournament. All competitors are encouraged to review the current PPC rules. The NRA Police Pistol Combat Rule Book is available on-line at **ppc.nra.org** or use your smart phone camera to scan this Quick Reader Code or Double Click your cursor on it.



Eligibility: Open to any eligible law enforcement member as outlined in Police Pistol Combat Rule Section 2.4. These include active and retired Law Enforcement Officers, and <u>full time</u> Police Firearms Instructors, Transit Police, Penal Institution Guards, Industrial Police which includes Bank Guards and Armored and Express Company Guards, and Military Police. Federal Flight Deck Officers who hold valid certifications are also eligible.

NRA Membership is not required, but STRONGLY encouraged and you may join during the Tournament.

Tournament Fees: Entry fees will be collected on the day of the Tournament with payment made in cash or by check. Where applicable, fees include NRA Match Fees

-	Range Use Fee Each Tournament Day	\$ 5.00
-	NRA Open Class Match Shoot <u>either</u> Class Semi-Automatic Pistol or Open Class Revolver	\$ 20.00
-	NRA Stock Service Semi-Automatic Pistol Match 14	\$ 10.00
•	NRA Stock Service Revolver Match 7	\$ 10.00
-	NRA Production Pistol Match 23	\$ 10.00

Registration: Will be done on-site the day of the Tournament. Registration is limited however to the capacity of the range. To speed your Registration process please complete the Competitor Registration Form found at the end of this announcement and bring it with you to the Tournament.

Classification: Competitors will be entered using their current NRA Police Pistol Combat Classification of High Master, Master, Expert, Sharpshooter, Marksman, or Classified. Competitors with expired Classifications and **new shooters** with no Classification or those without a Temporary Record Score Book will fire in the High Master Class as required by PPC Rule 19.2.

You can check your current NRA Classification at **LEcompetitions.nra.org** or by using your smart phone camera to scan the Quick Reader Code to the right or Double Clicking on it.



Match & Relay Schedule: Shooters need to ensure they arrive early enough to complete their Registration process and get their gear and firearms ready. Sufficient time will be allowed between Relays to allow for change of equipment.

The first match will begin at 1000 with two Relays of Stock Service Matches. Since these are the same course of fire it is the competitors choice to fire either their Stock Service Semi-Automatic Pistol, Production Pistol or Stock Service Revolver. Then the Open Class Match will be run.

Relays will be fired consecutively until all shooters have fired and time will be allotted between Matches and Relays for equipment changes.

Match Order:

- Stock Duty Gun Match Fire either your Stock Service Semi-Automatic Pistol, Stock Service Revolver or Production Semi-Automatic Pistol.
- Open Class Match Fire <u>either</u> your Open Class Semi-Automatic Pistol <u>or</u> Open Class Revolver

Additional Relays <u>may</u> be conducted if there are more than 15 shooters for any Relay.

Targets: Official NRA B-27 targets and Repair Centers will be used.

Scoring: Competitor scoring will be used by passing your scorecards to the competitor on your right who will score the targets of the competitor to their left.

Pursuant to PPC Rule 14.2, **NO** competitor will score their own target **NOR** may a competitor score the targets of a competitor from their same agency. If this cannot be avoided due to the Relay's makeup contact a Tournament Official to score the targets.

PPC Rules prohibit the use of plug-type scoring gauges. Overlays and Eagle Eyes may be used by competitors.



Score cards must be signed and are FINAL once signed so **PLEASE** double check the recorded hits and values BEFORE signing.

Challenges: Target scoring Challenges will follow PPC Rule 16.1 with a Challenge Fee of \$3.00 which will be returned to the competitor if the Challenge is upheld. The three-person jury will decide Challenges.

Result Bulletins: Final Result Bulletins will be provided.

Awards: Classification will not be used for Awards. The Lewis System will be used with one award for each 3 shooters in a match. Awards in the Open Class Match will be based only on the Aggregate Match 6 and Match 13 scores. ALL AWARDS WILL BE CASH (checks)AND WILL BE MAILED AT THE END OF THE SEASON.

Course of Fire Information:

The Range Officer will announce the course of fire, shooting positions and time prior to the start of each Match and Stage. Time will start with a loaded gun in holster. No part of the competitor's hand may touch the gun or holster until the command to commence firing is given.

All loading will be with cartridges taken from the competitor's pocket, cartridge belt, mechanical loaders, or special pouch. To force reloading under time restraints, magazine loading is limited to 6 rounds per magazine. There is no limit on the number of magazines you may have but all used during the firing of a stage or string MUST be on your person. It is the competitors' responsibility to have sufficient ammunition in their possession to complete the Match being fired.

A conventional right or left-hand holster must be used. For safety reasons, shoulder, cross draw or holsters which require releasing by insertion of finger within the trigger guard will not be allowed. Holster cannot be tied down.

Optical Devices: No optical devices other than normal glasses worn for corrective eyesight or Sunglasses will be permitted on the range during Match firing for use by competitors. Use of a mechanical iris, eye patch or eye cover is also prohibited.

NRA PPC Match Number		Course		
Revolver Match	Semi-Automatic Pistol Match	Description		
		Open Class Division Matches – "The 1500's" 150 Rounds Total		
Match 1	Match 8	Two stages of 12 shots each fired double action standing without support. First stage fired at 7 yards and second stage fired at 15 yards. Time limit is 20 seconds per stage including time to reload.		
Match 2	Match 9	At 25 yards, 18 rounds fired; 6 shots kneeling; 6 shots standing left handed with support from behind left side of barricade, 6 shots standing right handed with support from behind right side of barricade, all fired double action. Time limit 90 seconds, including time to reload.		
Match 3	Match 10	At 50 yards, 24 rounds fired; 6 shots sitting; 6 shots prone; 6 shots standing left handed with support from behind left side of barricade; 6 shots standing right handed with support from behind right side of barricade. All shots may be fired single or double action. Time limit 2 minutes and 45 seconds including time to reload.		
Match 4	Match 11	At 25 yards, 24 rounds fired in two stages of 12 shots each fired double action, standing without support. Time limit 35 seconds for each 12-shot stage including time to reload.		
Match 5	Match 12	Stage 1: 7 yards, 12 shots double action standing without support. Time limit 20 seconds including time to reload.		
		Stage 2: 25 yards, 6 shots kneeling; 6 shots standing left handed with support from behind left side of barricade, and 6 shots standing right handed with support from behind right side of barricade. All fired double action. Time limit 90 seconds, including time to reload.		

		 Change Targets Stage 3: 50 yards, 6 shots sitting; 6 shots prone; 6 shots standing left handed with support from behind left side of barricade and 6 shots standing right handed with support from behind right side of barricade. All shots may be fired single or double action. Time limit 2 minutes and 45 seconds including time to reload. Stage 4: 25 yards, 6 shots double action standing without support. Time limit 12 seconds.
Match 6	Match 13	Match 6 is the Aggregate of the shooter's Open Class Revolver Match 1 through Match 5 scores with a total possible score of 1500 points. Match 13 is the Aggregate of the shooter's Open Class Semi-Automatic Pistol Match 8 through 12 scores with a total possible score of 1500 points.
		NRA Stock Service Duty Gun Division Matches 48 Rounds Total
Match 7 Stock Service Revolvers	Match 14 Stock Service Semi-Automatic Pistols Match 23 Production Semi-Automatic Pistols	 NRA Stock Service Duty Gun Match Stage 1: 3 yards, 6 shots one handed standing without support in 8 seconds. Stage 2: 7 yards, 12 shots, one or two handed standing without support position. Twenty second time limit which includes required reload. <i>Change Targets</i> Stage 3: 15 yards, 12 shots, one or two handed standing without support. Twenty second time limit which includes required reload. Stage 4: 25 yards, 18 shots, one or two handed; 6 shots kneeling, from behind the right side of the barricade for cover and support; 6 shots standing left handed from behind the left side of the barricade; and 6 shots standing right handed from behind the right side of the barricade. Time limit is ninety seconds which includes the required two reloads.

MAKE SURE YOU WATCH OUT FOR THE

2019

MARYLAND POLICE COMBAT ASSOCIATION

MARK MURPHY MEMORIAL STATE CHAMPIONSHIP POLICE PISTOL COMBAT TOURNAMENT

ANNOUNCEMENT.

ONCE THE DATES ARE FINALIZED IT THE TOURNAMENT PROGRAM WILL BE POSTED ON THE NRA POLICE PISTOL COMBAT *FIND AN EVENT* WEB PAGE AT WWW. LECOMPETITIONS.NRA.ORG. YOU CAN USE YOUR SMART PHONE CAMERA TO SCAN THIS QUICK READER CODE OR DOUBLE CLICK ON IT TO GET TO THE PAGE.



Firearms & Ammunition Allowed: Please see NRA Police Pistol Combat Rule Book Section 3 for Firearm requirements and the *NRA PPC Rule Book Quick View Firearm Matrix* charts reproduced below. Call if you have any questions.

Special Note: While the FN 5.7 x 28 caliber is allowed by PPC Rules, the use of this ammunition is **NOT** allowed at the Monocacy Pistol Club Facility so it <u>cannot</u> be used in these Tournaments.

PLIES TO ALL FIREARMS Rule 3.1			
Each competitor is responsible for the any which may be questionable should submitted to the Tournament Director 3-Man Jury for decision prior to being All standard safety features of the pist operate properly. With respect to Sections 3.2 through 2 addition to the firearm specific regulat the following features are either Allow Prohibited on all firearms.	d be r, Referee, or used. tol must 3.10, and in tions below,		
Action work to make a crisper and/or smoother trigger pull	Allowed		
Fixed or adjustable sights	Allowed		
Sight Blackening	Allowed		
Modification or change of stocks because of the size of a competitor's hand or to facilitate loading	Allowed		
Internal modifications that would render the firearm less safe than originally designed by the manufacturer			
Any external modifications, except those allowed within each rule	Prohibited		
Front sight extending beyond muzzle	Prohibited		
Compensators, barrel venting, or Prohibited barrel porting			
Ammunition: No high speed or Magnum ammunition will be allowed. Ammunition must be hand loaded or factory loaded to produce sufficient velocity to pass through the target AND the backer. Shots which do not pass through the target and the backer will be scored as misses.			

OPEN CLASS REVOLVER

	Rule 3.2		
In addition to the specifications within Section 3.1, the following specifications apply for Open Class Revolvers.			
Firearm / Caliber: A revolver chambered to fire center-fire cartridges .32 caliber or larger			
Barrel Length Maximum	6 Inches		
Trigger Pull Minimum: Single Action	2.5 Pounds		
Sight Radius Maximum	8.5 Inches		
Sight Guards which do NOT extend rearward more than 2 inches	Allowed		
External Trigger Stops	Allowed		
Grips/Stocks that when measured from side-to-side at the base are greater than 1 ¾ inches in thickness (1.75')			
Caliber / Ammunition: Either hand loaded or factory loaded ammunition may be used. Wadcutter ammunition is allowed.			

PEN CLASS SEMI-AUTOMATIC PIST	OL Rule 3.3		
In addition to the specifications within			
the following specifications apply for Open Class			
Semi-Automatic Pistols. Firearm / Caliber: Center-fire pistols	of .35 caliber		
or larger. All double action semi-automatic pistols			
must fire the first shot of every stage double action			
except at the 50 yard line.			
Barrel Length Maximum	6 Inches		
Trigger Pull Minimum Single or Double Action	3.5 Pounds		
Sight Radius Maximum	8.5 Inches		
Sight Guards which do NOT extend rearward more than 2 inches	Allowed		
Extended Magazine Well Funnel	Allowed		
Magazine Bumper Pad	Allowed		
External Trigger Stops	Allowed		
Caliber / Ammunition: Either hand loa	ded or factory		
loaded ammunition may be used. Wa	dcutter		
ammunition is allowed			
TOCK SERVICE REVOLVER	Rule 3.6		
In addition to the specifications within	Section 3.1		
the following specifications apply for S			
the following specifications apply for S Revolvers.	Stock Service		
the following specifications apply for S Revolvers. Firearm / Caliber: A factory manufact	Stock Service		
the following specifications apply for S <u>Revolvers</u> . Firearm / Caliber: A factory manufact item) revolver with duty sights capabl chambering and firing .38 Special am	Stock Service cured (catalog e of		
the following specifications apply for S <u>Revolvers</u> . Firearm / Caliber: A factory manufact item) revolver with duty sights capabl chambering and firing .38 Special am Barrel Length Maximum	Stock Service cured (catalog e of		
the following specifications apply for S <u>Revolvers</u> . Firearm / Caliber: A factory manufact item) revolver with duty sights capabl chambering and firing .38 Special am Barrel Length Maximum Replacement of service type sights	Stock Service cured (catalog e of munition.		
the following specifications apply for S <u>Revolvers</u> . Firearm / Caliber: A factory manufact item) revolver with duty sights capabl chambering and firing .38 Special am Barrel Length Maximum Replacement of service type sights with other service type sights,	Stock Service cured (catalog e of munition.		
the following specifications apply for S <u>Revolvers</u> . Firearm / Caliber: A factory manufact item) revolver with duty sights capabl chambering and firing .38 Special and Barrel Length Maximum Replacement of service type sights with other service type sights, luminescent service sights, or fiber	Stock Service cured (catalog e of munition.		
the following specifications apply for S <u>Revolvers</u> . Firearm / Caliber: A factory manufact item) revolver with duty sights capabl chambering and firing .38 Special and Barrel Length Maximum Replacement of service type sights with other service type sights, luminescent service sights, or fiber optic service sights provided such	Stock Service sured (catalog e of munition. 4 Inches		
the following specifications apply for S <u>Revolvers</u> . Firearm / Caliber: A factory manufact item) revolver with duty sights capabl chambering and firing .38 Special and Barrel Length Maximum Replacement of service type sights with other service type sights, luminescent service sights, or fiber	Stock Service sured (catalog e of munition. 4 Inches		
the following specifications apply for S <u>Revolvers</u> . Firearm / Caliber: A factory manufact item) revolver with duty sights capabl chambering and firing .38 Special and Barrel Length Maximum Replacement of service type sights with other service type sights, luminescent service sights, or fiber optic service sights provided such sights do not require alteration of the firearm for installation. Ramp or post front sight as sold by	Stock Service sured (catalog e of munition. 4 Inches		
the following specifications apply for S <u>Revolvers</u> . Firearm / Caliber: A factory manufact item) revolver with duty sights capabl chambering and firing .38 Special and Barrel Length Maximum Replacement of service type sights with other service type sights, luminescent service sights, or fiber optic service sights provided such sights do not require alteration of the firearm for installation.	Stock Service sured (catalog e of munition. 4 Inches Allowed		
the following specifications apply for S <u>Revolvers</u> . Firearm / Caliber: A factory manufact item) revolver with duty sights capabl chambering and firing .38 Special and Barrel Length Maximum Replacement of service type sights with other service type sights, luminescent service sights, or fiber optic service sights provided such sights do not require alteration of the firearm for installation. Ramp or post front sight as sold by the manufacturer of the firearm Chamfered Cylinder	Stock Service Eured (catalog e of Munition. 4 Inches Allowed Allowed Allowed		
the following specifications apply for S <u>Revolvers</u> . Firearm / Caliber: A factory manufact item) revolver with duty sights capabl chambering and firing .38 Special and Barrel Length Maximum Replacement of service type sights with other service type sights, luminescent service sights, or fiber optic service sights provided such sights do not require alteration of the firearm for installation. Ramp or post front sight as sold by the manufacturer of the firearm Chamfered Cylinder Adjustable Front Sight	Stock Service Eured (catalog e of nunition. 4 Inches Allowed Allowed Allowed Prohibited		
the following specifications apply for S <u>Revolvers.</u> Firearm / Caliber: A factory manufact item) revolver with duty sights capabl chambering and firing .38 Special and Barrel Length Maximum Replacement of service type sights with other service type sights, luminescent service sights, or fiber optic service sights provided such sights do not require alteration of the firearm for installation. Ramp or post front sight as sold by the manufacturer of the firearm Chamfered Cylinder Adjustable Front Sight Trigger Modification as to length, width, or grooves	Stock Service Eured (catalog e of Munition. 4 Inches Allowed Allowed Allowed		
the following specifications apply for S <u>Revolvers</u> . Firearm / Caliber: A factory manufact item) revolver with duty sights capabl chambering and firing .38 Special and Barrel Length Maximum Replacement of service type sights with other service type sights, luminescent service sights, or fiber optic service sights provided such sights do not require alteration of the firearm for installation. Ramp or post front sight as sold by the manufacturer of the firearm Chamfered Cylinder Adjustable Front Sight Trigger Modification as to length,	Stock Service Eured (catalog e of nunition. 4 Inches Allowed Allowed Allowed Prohibited		
the following specifications apply for S <u>Revolvers.</u> Firearm / Caliber: A factory manufact item) revolver with duty sights capabl chambering and firing .38 Special and Barrel Length Maximum Replacement of service type sights with other service type sights, luminescent service sights, or fiber optic service sights provided such sights do not require alteration of the firearm for installation. Ramp or post front sight as sold by the manufacturer of the firearm Chamfered Cylinder Adjustable Front Sight Trigger Modification as to length, width, or grooves	Stock Service Eured (catalog e of Munition. 4 Inches Allowed Allowed Allowed Prohibited Prohibited		
the following specifications apply for S <u>Revolvers</u> . Firearm / Caliber: A factory manufact item) revolver with duty sights capabl chambering and firing .38 Special and Barrel Length Maximum Replacement of service type sights with other service type sights, luminescent service sights, or fiber optic service sights provided such sights do not require alteration of the firearm for installation. Ramp or post front sight as sold by the manufacturer of the firearm Chamfered Cylinder Adjustable Front Sight Trigger Modification as to length, width, or grooves Trigger Shoes External Trigger Stops Thumb Rest	Stock Service Eured (catalog e of munition. 4 Inches Allowed Allowed Allowed Prohibited Prohibited Prohibited		
the following specifications apply for S <u>Revolvers</u> . Firearm / Caliber: A factory manufact item) revolver with duty sights capabl chambering and firing .38 Special and Barrel Length Maximum Replacement of service type sights with other service type sights, luminescent service sights, or fiber optic service sights provided such sights do not require alteration of the firearm for installation. Ramp or post front sight as sold by the manufacturer of the firearm Chamfered Cylinder Adjustable Front Sight Trigger Modification as to length, width, or grooves Trigger Shoes External Trigger Stops Thumb Rest Grips/Stocks that when measured	Stock Service Eured (catalog e of munition. 4 Inches Allowed Allowed Allowed Prohibited Prohibited Prohibited Prohibited		
the following specifications apply for S <u>Revolvers</u> . Firearm / Caliber: A factory manufact item) revolver with duty sights capabl chambering and firing .38 Special and Barrel Length Maximum Replacement of service type sights with other service type sights, luminescent service sights, or fiber optic service sights provided such sights do not require alteration of the firearm for installation. Ramp or post front sight as sold by the manufacturer of the firearm Chamfered Cylinder Adjustable Front Sight Trigger Modification as to length, width, or grooves Trigger Shoes External Trigger Stops Thumb Rest Grips/Stocks that when measured from side-to-side at the base are	Stock Service Eured (catalog e of munition. 4 Inches Allowed Allowed Allowed Prohibited Prohibited Prohibited Prohibited		
the following specifications apply for S <u>Revolvers</u> . Firearm / Caliber: A factory manufact item) revolver with duty sights capabl chambering and firing .38 Special and Barrel Length Maximum Replacement of service type sights with other service type sights, luminescent service sights, or fiber optic service sights provided such sights do not require alteration of the firearm for installation. Ramp or post front sight as sold by the manufacturer of the firearm Chamfered Cylinder Adjustable Front Sight Trigger Modification as to length, width, or grooves Trigger Shoes External Trigger Stops Thumb Rest Grips/Stocks that when measured	Stock Service Eured (catalog e of munition. 4 Inches Allowed Allowed Allowed Prohibited Prohibited Prohibited Prohibited Prohibited		
the following specifications apply for S <u>Revolvers</u> . Firearm / Caliber: A factory manufact item) revolver with duty sights capabl chambering and firing .38 Special and Barrel Length Maximum Replacement of service type sights with other service type sights, luminescent service sights, or fiber optic service sights provided such sights do not require alteration of the firearm for installation. Ramp or post front sight as sold by the manufacturer of the firearm Chamfered Cylinder Adjustable Front Sight Trigger Modification as to length, width, or grooves Trigger Shoes External Trigger Stops Thumb Rest Grips/Stocks that when measured from side-to-side at the base are greater than 1 ¾ inches in thickness	Stock Service Eured (catalog e of munition. 4 Inches Allowed Allowed Allowed Prohibited Prohibited Prohibited Prohibited Prohibited		
the following specifications apply for S <u>Revolvers</u> . Firearm / Caliber: A factory manufact item) revolver with duty sights capable chambering and firing .38 Special and Barrel Length Maximum Replacement of service type sights with other service type sights, luminescent service sights, or fiber optic service sights provided such sights do not require alteration of the firearm for installation. Ramp or post front sight as sold by the manufacturer of the firearm Chamfered Cylinder Adjustable Front Sight Trigger Modification as to length, width, or grooves Trigger Shoes External Trigger Stops Thumb Rest Grips/Stocks that when measured from side-to-side at the base are greater than 1 ³ / ₄ inches in thickness (1.75") Tape on the stock/grip Any substance that results in a	Stock Service Eured (catalog e of munition. 4 Inches Allowed Allowed Allowed Prohibited Prohibited Prohibited Prohibited Prohibited Prohibited		
the following specifications apply for S <u>Revolvers</u> . Firearm / Caliber: A factory manufact item) revolver with duty sights capabl chambering and firing .38 Special and Barrel Length Maximum Replacement of service type sights with other service type sights, luminescent service sights, or fiber optic service sights provided such sights do not require alteration of the firearm for installation. Ramp or post front sight as sold by the manufacturer of the firearm Chamfered Cylinder Adjustable Front Sight Trigger Modification as to length, width, or grooves Trigger Shoes External Trigger Stops Thumb Rest Grips/Stocks that when measured from side-to-side at the base are greater than 1 ¾ inches in thickness (1.75") Tape on the stock/grip	Stock Service Eured (catalog e of munition. 4 Inches Allowed Allowed Allowed Prohibited Prohibited Prohibited Prohibited Prohibited Prohibited		

Prohibited

Weighted grip/stock

Ammunition: Either hand loaded or factory loaded ammunition. No wadcutter ammunition is allowed.

Dula

NRA PPC Rule Book Quick View Firearm Matrix

STOCK SERVICE SEMI-AUTOMATIC PISTOL Rule 3.7			
In addition to the specifications within Section 3.1, the following specifications apply for Stock Service Semi-Automatic Pistols.			
Firearm / Caliber: Factory manufactured (catalog item), center-fire semi-automatic pistol with duty sights capable of chambering and firing .35 caliber or larger ammunition, or larger ammunition, or FN 5.7 x 28 caliber ammunition. → Please note while allowed by NRA Rules, due to Range Restrictions FN 5.7 x 28 caliber ammunition in NOT allowed in THIS Tournament. All double action pistols must fire the first shot of			
every stage double action. Barrel Length Maximum	5.5 Inches		
Trigger Pull Minimum: Single or Double Action	3.5 Pounds		
Sight Radius Maximum	7.5 Inches		
Any accessories, parts, or components which are manufactured to duplicate, in materials and dimensions, the original as offered by the manufacturer	Allowed		
Replacement of service type sights with other service type sights, luminescent service sights, or fiber optic service sights provided such sights do not require alteration of the firearm for installation.	Allowed		
Magazine bumper pads	Allowed		
Extended magazine well funnel	Allowed		
Finger groove and slip on grips	Allowed		
Adjustable Front Sight	Prohibited		
Full-length Bo-mar type rib on the slide	Prohibited		
Trigger shoe	Prohibited		
External Trigger Stops	Prohibited		
Thumb Rest	Prohibited		
Grips/stocks that are flared at the base	Prohibited		
Tape on the grip/stock	Prohibited		
Any substance that results in a sticky surface to the grip/stock or hand	Prohibited		
Weighted grip/stock	Prohibited		
Smith & Wesson Model PPC9 Pistols	Prohibited		
Ammunition: Either hand loaded or factory loaded ammunition. No wadcutter ammunition is allowed.			

RODUCTION SEMI-AUTOMATIC PISTOL Rule 3.10				
In addition to the specifications within Section 3.1, the following specifications apply for Production Semi-Automatic Pistols.				
Firearm / Caliber: Approved Pistols for this Division are listed in Police Pistol Combat				
Bulletin 14.1 on the Law Enforcement Competitions website. To be considered, must be a mass produced center-fire semi-automatic pistol made for police or military use (at least 1,000 pistols), unmodified stock catalog item in its original factory condition, and have a double, double/single, or striker type action. Must be capable of chambering and firing .35 caliber or larger ammunition, or FN 5.7 x 28 caliber ammunition. All double action semi-automatic pistols must fire the				
first shot of every stage double action.				
Barrel Length Maximum	5 Inches			
Trigger Pull Minimum: Single or Double Action	3.5 Pounds			
Sight Radius Maximum	7.5 Inches			
Installation of extended magazine releases and slide catches produced by the pistol's manufacturer.	Allowed			
Replacement of the factory fixed or adjustable service sights with another service type sight, luminescent service sight, or fiber optic service sight sold by the pistol's manufacturer as a factory catalog replacement part for the pistol, or with an approved sight listed in Police Pistol Combat Bulletin 16.1 on the NRA Law Enforcement Competitions website. In no case may the firearm be altered for any sight installation.	Allowed			
Magazine bumper pads	Allowed			
Finger groove and slip on grips	Allowed			
Single Action Pistols	Prohibited			
Custom or competition model Pistols, even if a catalog item or another version of the manufacturer's base stock model.	Prohibited			
Any external change to the pistol from its original manufactured condition, including grips, extended magazine wells/funnel, trigger stops, trigger shoes, etc.	Prohibited			
Changing any internal part or component with a non-original factory manufactured part.	Prohibited			
Tape on the grip/stock	Prohibited			
Any Substance that results in a sticky surface to the grip/stock or hand.	Prohibited			
Ammunition: Either hand loaded or factory loaded ammunition. No wadcutter ammunition is allowed.				

To see PPC Bulletins 14-1 and 16-1 you can use your smart phone camera to scan this Quick Reader Code or double click it with your computer cursor to pull up the PPC information page and then scroll down the page to see the PPC Bulletins.





Maryland Police Combat Association National Rifle Association Sanctioned

Police Pistol Combat Tournaments



Competitor Registration Form

Please complete a Competitor Registration Form for each Tournament you want to fire.

Registration: Will be done on-site the day of the Tournament. Registration is limited however to the capacity of the range. To speed your Registration and Check-In please complete this form and bring it with you to the Tournament.

If you have any questions please contact Tournament Director George H. Bransom at **Bransom@verizon.net** or by phone at: H - 301.253.4344 / C - 301.807.4448.

ne:				
nail Address:			Phone Number:	
dress:	Street		Citv	State Zip Code
ency:	50000			
RA Membership Numl	ber or NRA Assig	ned Competitor I	Number:	N/A if you do not have one.
ease CIRCLE the To	ournament Date	e for this Regist	tration	WA IJ you do noi nave one.
April 20 th	May 25 th	June 15 th	September 14 th	October 12 th
ease CIRCLE Your I	NRA Assigned C	Classifications		
Open Class Revolver	Classification: H	M MA EX SS	5 MK CL UNCLA	SSIFIED
Open Class Semi-Aut	omatic Pistol Cla	ssification: HM	MA EX SS MK	CL UNCLASSIFIED
Stock Service Revolv	er Classification:	HM MA EX	SS MK CL UNC	CLASSIFIED
Stock Service Semi-A	utomatic Pistol (Classification: HN	M MA EX SS M	IK CL UNCLASSIFIE
Please Check (c k Service Match One Stock Service Semi- Stock Service Revol Production Pistol Ma	Automatic Pistol Ma ver Match 7	atch 14	\$ 5.00 \$ 10.00 \$ 10.00
Please Check (One		atch 14	Ŷ 10.00
Please Check	Dpen Class Semi-Au	Match utomatic Pistol Mate r Matches 1 throug	•	\$ 20.00